

Netball NSW

Adverse Weather Conditions Policy

Adopted by New South Wales Netball Association Ltd at its Board Meeting held on 11 August 2020

Next Reviewed: June 2021 Last Reviewed: June 2020

Contents

1	Introduction	3
2	Purpose of this Policy	3
3	Organisational Responsibilities	3
4	Definitions	3
5	Hot Weather	4
6	Sun Protection	6
7	Cold Weather	7
8	Wet Weather	7
9	Electrical Storms	8
10	Poor Air Quality (Smoke and other hazards)	9
11	References	10

1 Introduction

Netball NSW recognises that adverse weather conditions present some level of risk that can harm the performance and/or health of participants. Activities that occur in adverse weather conditions can place participants at risk of injury, illness and in extreme circumstances, even death.

The health and safety of our members is a paramount concern of Netball NSW. As such to reduce the risk of injury, manage potentially dangerous weather situations and meet legal obligations for duty of care, Netball NSW aims to provide a safe environment for players, coaches, umpires, administrators, and spectators.

2 Purpose of this Policy

The purpose of this policy is to provide clear guidelines for cancelling, postponing or modifying of an Associated Activity in the event of adverse weather conditions.

This policy document includes the following adverse weather guidelines for:

- a) Hot weather
- b) Wet weather
- c) Electrical storms
- d) Poor air quality

3 Organisational Responsibilities

- 3.1 Netball NSW reserves the right to cancel, postpone or modify a Netball NSW run event due to adverse weather conditions in the interest of participant health and safety and as such has developed clear guidelines. These guidelines also aim to assist those managing local events in adverse weather conditions to prevent or minimise the risk of injury and illness for all participants involved.
- 3.2 This Policy applies to all affiliates of Netball NSW.

4 Definitions

Associated Activity All Netball NSW organised events. Including but not limited to

competitions, player camps, team selections, trainings, meetings,

courses and presentations.

Ambient Temperature Temperature of the surrounding air, not taking into account humidity

or wind in the air.

Dehydration Loss of body water and salts essential for normal body function.

Excessive dehydration in a sporting environment may lead to heat

exhaustion and heat stroke.

Drizzle To rain gently in fine, mist like drops.

Condensed water vapour in cloudlike masses lying close to the ground Fog

and limiting visibility.

Frost A deposit of miniature ice crystals formed when water vapour

condenses at a temperature below freezing.

Heat exhaustion A form of heat illness characterised by a high heart rate, dizziness,

headache and loss of endurance/skill/confusion and nausea.

Heat illness Occurs with high intensity activity that elevates the body temperature

and/or prolonged exposure to hot weather.

Heat stroke A form of heat illness with characteristics similar to heat exhaustion in

> conjunction with dry skin and confusion. Heat stroke may arise in a participant who has not been identified as suffering from heat

exhaustion and has persisted in further activity.

Intermittent Stopping and starting at intervals.

Lightning A flash of light in the sky, occurring during a thunderstorm and caused

by a discharge of electricity, either between clouds or between a

cloud and the earth.

Storm An atmospheric disturbance manifested in strong winds accompanied

by rain, snow and/or other precipitation and often by thunder and

lightning.

Thunder The crashing or booming sound produced by rapidly expanding air

along the path of the electrical discharge of lightning.

Wet Bulb Globe

Is a composite temperature used to estimate the effect of **Temperature (WBGT)** temperature, humidity, wind speed (wind chill, and visible and

infrared radiation, usually sunlight) on humans. It is used by industrial

hygienists, athletes and the military to determine approximate

exposure levels to high temperature.

30/30 Rule If it takes less than 30 seconds to hear thunder after seeing the flash,

lightning is near enough to pose a threat; after the storm ends, wait

30 minutes before resuming outdoor activities.

Match Official For the purpose of this policy a Match Official is a person responsible

> for the planning, organising and/or management of a competition or Associated Activity and may include, but not limited to, NNSW Staff or

Association Executive.

5 **Hot Weather**

Match Official should: 5.1

- a) Obtain an accurate temperature (both ambient and WBGT) from the Bureau of Meteorology (BOM)<u>www.bom.gov.au/info/thermal_stress/index.shtml</u>, to assist in assessing the potentially adverse weather conditions.
- b) Those with their own WBGT should take their own readings. Readings taken inside an indoor location will help to provide a more accurate assessment of the conditions.
 Assess the severity of the conditions by utilising the tables and information below.
 Ensure the recommended method of management is followed.
- 5.2 Hot, Dry Weather Conditions (Indoor and Outside facilities)

The following table provides recommendations on the management of activities in hot, dry weather conditions.

Ambient Temperature C	Relative Humidity	Risk of Heat Illness	Recommended Management
15-20		Low	Heat Illness can occur. Caution overmotivation.
21-25	Exceeds 70%	Low-Moderate	Increase vigilance. Caution over-motivation.
26-30	Exceeds 60%	Moderate	Moderate early pre-season training. Reduce intensity and duration of play/training. Incorporate more rest and hydration breaks.
31-35	Exceeds 50%	High-Very High	Limit intensity and take more rest and hydration breaks. Limit duration to less than 60 minutes per session.
36 and above	Exceeds 30%	Extreme	Postpone games to cooler conditions or the cooler part of the day, shorten the game time OR cancel.

5.3 Hot, Humid Weather Conditions (Indoor and Outdoor facilities).

The most effective way of evaluating the risk of activities in hot, humid weather is by measuring the Wet Bulb Globe Temperature (WBGT) or obtaining information from the Bureau of Meteorology (BOM).

The following table provides recommendations on the management of activities in hot, humid weather conditions.

WGBT	Risk of Heat Illness	Recommended Management	
Less than 20	Low	Caution over-motivation	
21-25	Moderate-High	Caution over-motivation.	
		Incorporate more rest and hydration breaks.	

26-29	High-Very High	Limit intensity and take more rest and hydration breaks.	
		Limit duration to less than 60 minutes per session	
		 consider shortening the game time. 	
30 and above	Extreme	Postpone games to cooler conditions or coole	
		part of the day, modify/shorten the game time OR	
		cancel.	

5.4 Catastrophic Fire Danger

In the event that a competition or Associated Activity is scheduled to take place on a day in an area subject to a "Catastrophic" Bush Fire Danger Rating issued by the NSW Rural Fire Service it is strongly recommended all netball related activities in the area affected by the Catastrophic rating be postponed/cancelled.

- 5.5 When preparing for a competition or Associated Activity the following issues and strategies should also be considered:
 - a) Duration and intensity of the event strategies include reduced playing time; extended rest periods; provisions for extra water, wetting clothes and face; fan to enhance air flow and player/official rotation.
 - b) Conduct of the competition strategies include dividing games into shorter periods; longer breaks and alternative training times.
 - c) Time of the day strategies such as scheduling events outside the hottest part of the day should be considered.
 - d) Local environment considerations include radiant heat from surfaces and surface type; amount of sunlight on the surface; airflow and air conditioning within venues.
- 5.6 Factors to consider in conjunction with the above tables include the following:
 - a) Fitness levels / athletic ability of participant An overweight and unconditioned participant will generally be more susceptible to heat illness.
 - b) Age and gender of participant Female participants may suffer more during activity in the heat, due to their greater percentage of body fat.
 - c) *Veteran participants* Generally more susceptible to heat illness due to reduced cardiac function.
 - d) Prior medical conditions It is important to be aware of the participants who have a medical condition or are taking medication that may predispose them to heat illness. Examples includes asthma, diabetes, pregnancy, heart conditions and epilepsy. Some medications and conditions may require special allowances. Any player that is experiencing a high temperature, viral infection, diarrhoea or vomiting should be excluded from participating due to increased risk of heat illness.
 - e) Heat waves Extra caution needs to be taken during unseasonal heat waves or unusually hot or humid climates, or if participants have travelled from a cooler area to a hot and humid climate.

6 Sun Protection

6.1 Match Officials, participants and spectators are encouraged to access the **SunSmart UV**Alert to view local UV levels. The **SunSmart UV Alert** can be accessed at www.cancercouncil.com.au.

- 6.2 Netball NSW and Associations will use wherever possible a combination of the recommended sun protection practices outlined below;
 - a) *SLIP* on clothing that covers as much skin as possible during training sessions and inbetween times during play. Grab a cool, light shirt made of densely woven fabric (preferably rated UPF50+) to pop-on when off the court.
 - b) Netball uniforms don't typically provide much coverage so it's important to SLOP on SPF30 (or higher) broad-spectrum, water-resistant sunscreen to any exposed skin at least 20 minutes before play starts. Look for a dry touch or active formula that won't be greasy for easy ball handling. Sunscreen should be reapplied regularly if you're working up a sweat (or at least every two hours), so put a tube in your sports bag for later. Hydration breaks and half-time provide the perfect opportunities to reapply.
 - c) *SLAP* on a wide-brimmed hat when you are off court to protect your face, neck and ears from the constant UV.
 - d) SEEK SHADE: Whether you are practising, warming-up or playing, take advantage of shady breaks whenever you can. Hydrate in the shade and find shady spots when off the court. Try to schedule training and games earlier in the morning or later in the day when the sun's UV isn't as intense.
 - e) SLIDE ON SUNGLASSES: Outdoor netball courts can reflect high levels of UV. Bring sunglasses to protect the eyes and cut the glare to make sure you never miss any of the court action from the sidelines. For best protection, look for wrap-around sunglasses which meet the Australian Standard (AS/NZS 1067).
- 6.3 Netball NSW and Association's will increase the awareness of sun safety by regularly promoting sun protection information to members via communication means. Examples include: notice boards, newsletters, online communications, announcements at event and competitions.

7 Cold Weather

- 7.1 Children and young people (in particular thin/lean children) are also susceptible to illness in cold weather as they lose body heat more easily. Physical activity is one of the best ways to stay warm in a cold environment. However, coaches, parents and Match Officials should pay particular attention to children and young people playing sports or activities subject to cold and wet conditions because water increases the loss of body heat.
- 7.2 Have some flexibility from competition rules about clothing to allow children and young people to feel more comfortable in extremely cold weather. This includes allowing tracksuit pants in cold weather, even if not part of regulation uniform.

8 Wet Weather

- 8.1 Match Officials should prior to the match or Associated Activity, ensure a proactive approach and obtain details about local weather conditions from the Bureau of Meteorology (BOM), www.bom.gov.au.
- 8.2 Assess the severity of the conditions by utilising the table and information below. Ensure the recommended method of management is followed.

CONTINUE/MODIFY	CANCEL/POSTPONE/MODIFY		
Light drizzle.	Continuous driving rain (including		
	hail).		
Intermittent rain.	Court surface is slippery due to		
	excess water – and sweeping		
	doesn't assist the court surface.		
Intermittent heavy rain.	Frost and/or ice on the court		
	surface.		
Court surface is wet.	Heavy fog.		
Water pooling on court surface	Snow (light or heavy).		
but can be swept away.			

8.3 Court surface (Outdoor Venue)

In rain, hail, snow or fog, court conditions should be assessed by Match Officials prior to the commencement of play. If there are several games to be played, an ongoing assessment should be undertaken between games to ensure the safety of players, umpires and team officials. If the weather deteriorates during a game, a further assessment may be made mid game.

Section 9.3 (iii) of the INF Rules of Netball allows for the umpire to consult with event organisers to decide if the game/s should be abandoned.

Factors to consider when assessing the court surface;

- a) Is the court/s slippery
- b) Is there snow or hail on the court/s
- c) Is water pooling on the court/s surface that can't be swept off
- 8.4 Once the assessment is complete a decision should be made to commence/continue play or cancel, postpone or modify the match or Associated Activity.

9 Electrical Storms

- 9.1 Lightning can strike more than 10km from the edge of a thunderstorm and it is generally agreed that 10kms is the minimum safe distance from a storm
- 9.2 Netball NSW supports the '30/30' rule which will be enacted for lightning safety and serves as a guide for event cancellation and subsequent resumption.
- 9.3 The '30/30' rule is not an absolute rule. A storm may move very quickly, or not generate any lightning or thunder until it is very close or topographical or wind conditions may prevent sound from travelling to your position. These conditions are especially common in mountain areas. It is important that Match Officials observe weather conditions and be alert to the possibility of the above occurring.
- 9.4 In the event of an approaching storm, count the seconds from when the lightning flash is seen to when the thunder is heard ('flash to bang count'). If there is a thunder occurrence within 30 seconds from when the lightening is observed, activity is to cease

- immediately. Participants are at risk and are to be advised to seek safe shelter to ensure safety.
- 9.5 Wait 30 minutes after the last thunder is heard or lightning is seen before resuming activities. This will ensure the lightning storm is at least 20kms away from the venue.
- 9.6 Prior to the match or Associated Activity Match Officials should obtain details about local weather conditions from the Bureau of Meteorology (BOM), www.bom.gov.au
- 9.7 Match Officials are to define a list of safe structures and locations to be utilised in the event of a lightning storm occurring.
- 9.8 Safe shelter includes:
 - a) Large/substantial enclosed buildings;
 - b) Fully enclosed metal vehicles with windows closed;
 - c) Low ground;
 - d) Trees of uniform height (i.e. forest)
- 9.9 Unsafe locations and situations:
 - a) High, open ground;
 - b) Swimming pools (both indoor and outdoor);
 - c) Close vicinity to the tallest structure in the area isolated or tall trees, light pole, communication towers;
 - d) Near outdoor metal structures rain shelters, tents, seating/benches, poles, gates and fences;
 - e) Objects that increase an individual's height umbrella.

10 Poor Air Quality (Smoke and other hazards)

- 10.1 Prior to a match or Associated Activity Match Officials should obtain details about local weather conditions from the Bureau of Meteorology (BOM), www.bom.gov.au
- 10.2 In the event of poor air quality, Netball NSW recommends that the following steps are taken;
 - a) Go to Current Air Quality website (www.environment.nsw.gov.au/topics/air/current-air-quality)
 - b) On the map find the area nearest to the venue location and click on the box that shows the current reading (i.e visibility, particles)
 - c) A list of areas and suburbs will appear. In the list scroll down to the nearest suburb or area to the venue location
 - d) The last columns on the right show the latest air quality readings for the area or the suburb selected.

(Note: PM 10 = course particles e.g. dust and ash. PM2.5 = fine particles e.g. smoke.)

10.3 Where the air quality readings are fair (67-99) or poor (100-149) it is recommended that consideration be given by Match Officials to suspend or cancel the match or Associated Activity, or modify such until the air quality improves.

- 10.4 Where the air quality readings are very poor (150-299) or hazardous (200+) it is recommended Match Officials suspend or cancel the match or Associated Activity until the air quality improves.
- 10.5 Consideration should be based on information obtained from the Current Air Quality website and a local assessment of conditions including indoor venues.
- 10.6 Where a decision is made to continue a match or Associated Activity with readings that are fair to hazardous, warnings should be issued to officials, players, and all involved in the match or Associated Activity at the venue or on an associated website/social media platform, or both. The warning should provide information that current conditions may pose a health hazard, particularly to those with respiratory or cardiovascular conditions and they should make their own decision in regard to participating.

Further information and a number of Air Quality Fact Sheets are available on the NSW Health website: www.health.nsw.gov.au/environment/air/Pages/aqi.aspx

11 References

SPORTS MEDICINE AUSTRALIA

Hot Weather Guidelines for Sporting Clubs and Associations and the Physically Active, Sports Medicine Australia, accessed 19 February 2020 http://sma.org.au/resources-advice/policies-guidelines/

SPORTS MEDICINE AUSTRALIA

Safety Guidelines for Children and Young People in Sport and Recreation, accessed 20 February 2020, https://sma.org.au/sma-site-content/uploads/2017/08/childrensafetyguidelines-fulldoc.pdf

ENVIRONMENTAL HEALTH BRANCH,

Air Quality Index (AQI), NSW Health, accessed 19 February 2020, https://www.health.nsw.gov.au/environment/air/Pages/aqi.aspx

BEST PRACTICE GUIDELINES,

Smoke Pollution and Exercise, Australian Institute of Sport, accessed 19 February 2020, https://ais.gov.au/position_statements#smoke_pollution_and_exercise